



# MODEL NUMBER SELECTION WORKBOOK



MODEL SHOWN  
XTCII-6002Z

- 6001** = 600 GPD (2270 LPD) SINGLE LONG MEMBRANE  
**6002** = 600 GPD (2270 LPD) TWO SHORT MEMBRANES  
**1200** = 1200 GPD (2540 LPD) TWO LONG MEMBRANES  
**1800** = 1800 GPD (6810 LPD) THREE LONG MEMBRANES\*  
**2200** = 2200 GPD (8325 LPD) FOUR LONG MEMBRANES\*

**NOTE: XTCII IS ONLY AVAILABLE  
IN 230VAC, SINGLE PHASE**


*CAPACITY		
DESCRIPTION	60 Hz	50 Hz
XTCII-1800Z	1800 GPD (6810 LPD)	1494 GPD (5655 LPD)
XTCII-2200Z	2200 GPD (8325 LPD)	1826 GPD (6912 LPD)

DESCRIPTION	AMP DRAW	
	60 Hz	50 Hz
XTCII	9.9	9.0
SYLLENT BOOST PUMP	4.1	3.1
<b>TOTAL</b>	<b>14.0</b>	<b>12.1</b>

**PROPRIETARY AND CONFIDENTIAL**  
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SPOT ZERO. ANY  
 REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SPOT ZERO IS  
 PROHIBITED.

UNLESS OTHERWISE SPECIFIED:


DIMENSIONS ARE IN INCHES  
 TOLERANCES: ±.015  
 FRACTIONAL: ±1/32  
 ANGULAR: MACH: ±1/2 BEND ±1  
 TWO PLACE DECIMAL ±.010  
 THREE PLACE DECIMAL ±.005

	NAME	DATE			 <i>Sea Water Reverse Osmosis</i>	
DRAWN	ES	12/2/20				
CHECKED			XTCII Configuration Workbook			
ENG APPR.						
MFG APPR.						
Q.A.						
			SCALE: 1:8	DWG. NO. WD0001	SHEET 1 OF 6	DWG. REV B


# CHOOSE SYSTEM CAPACITY

## MEMBRANE VESSEL UNIT MOUNT (ADD 4.2" TO DEPTH)


P/N: XTCII-**6001Z**  
600 GPD (2270 LPD)



P/N: XTCII-**6002Z**  
600 GPD (2270 LPD)



P/N: XTCII-**1200Z**  
1200 GPD (2540 LPD)



## REMOTE MOUNT (MOUNTING BRACKETS INCLUDED)


P/N: XTCII-**6001Z**  
600 GPD (2270 LPD)

P/N: XTCII-**6002Z**  
600 GPD (2270 LPD)

P/N: XTCII-**1200Z**  
1200 GPD (2540 LPD)

P/N: XTCII-**1800Z**  
1800 GPD (6810 LPD)

P/N: XTCII-**2200Z**  
2200 GPD (8325 LPD)



**PROPRIETARY AND CONFIDENTIAL**  
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SPOT ZERO. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SPOT ZERO IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES  
TOLERANCES: ±.015  
FRACTIONAL ±1/32  
ANGULAR: MACH ±1/2 BEND ±1  
TWO PLACE DECIMAL ±.010  
THREE PLACE DECIMAL ±.005

	NAME	DATE
DRAWN	ES	12/2/20
CHECKED		
ENG APPR.		
MFG APPR.		
Q.A.		

**DOMETIC**

**seaXchange**  
Sea Water Reverse Osmosis

XTCII Configuration Workbook

SCALE: 1:20

DWG. NO. WD0001

SHEET 2 OF 6

DWG. REV B

# SPOT ZERO MODEL NUMBER TO DOMETIC PART NUMBER CROSS REFERENCE



ONCE THE SPOT ZERO MODEL NUMBER SELECTION PROCESS HAS BEEN COMPLETED,  
FIND THE CORRESPONDING DOMETIC PART NUMBER FROM THE TABLE BELOW

SPOT ZERO MODEL SELECTION	DOMETIC CROSS REFERENCE NUMBER
XTCII- <b>6001Z</b>	9610001170
XTCII- <b>6002Z</b>	9610002513
XTCII- <b>1200Z</b>	9610001403
XTCII- <b>1800Z</b>	9610001171
XTCII- <b>2200Z</b>	9610001562


**PROPRIETARY AND CONFIDENTIAL**  
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SPOT ZERO. ANY  
REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SPOT ZERO IS  
PROHIBITED.

UNLESS OTHERWISE SPECIFIED:



DIMENSIONS ARE IN INCHES  
TOLERANCES: ±.015  
FRACTIONAL ±1/32  
ANGULAR: MACH ±1/2 BEND ±1  
TWO PLACE DECIMAL ±.010  
THREE PLACE DECIMAL ±.005

	NAME	DATE				
DRAWN	ES	12/2/20				
CHECKED			XTCII Configuration Workbook			
ENG APPR.						
MFG APPR.						
Q.A.						
			SCALE: 1:15	DWG. NO. WD0001	SHEET 3 OF 6	DWG. REV B


# DIMENSIONAL DRAWING



TOP VIEW




FRONT VIEW



SIDE VIEW

TOP MOUNTED VERSION AVAILABLE  
UPON REQUEST. CONTACT YOUR  
DEALER FOR MORE INFORMATION



**PROPRIETARY AND CONFIDENTIAL**  
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SPOT ZERO. ANY  
REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SPOT ZERO IS  
PROHIBITED.

UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES  
TOLERANCES: ±.015  
FRACTIONAL: ±1/32  
ANGULAR: MACH ±1/2 BEND ±1  
TWO PLACE DECIMAL ±.010  
THREE PLACE DECIMAL ±.005

	NAME	DATE
DRAWN	ES	12/2/20
CHECKED		
ENG APPR.		
MFG APPR.		
Q.A.		


**DOMETIC**

**seaXchange**  
Sea Water Reverse Osmosis


XTCII Configuration Workbook

# STANDARD EQUIPMENT


## COMMERCIAL PRE-FILTER




## FRESH WATER FLUSH



## SYLLENT BOOST PUMP



SHORT PRE-FILTER OPTION AVAILABLE UPON REQUEST.  
P/N 252404337



UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES  
TOLERANCES:  $\pm 0.015$   
FRACTIONAL:  $\pm 1/32$   
ANGULAR: MACH  $\pm 1/2$  BEND  $\pm 1$   
TWO PLACE DECIMAL  $\pm 0.010$   
THREE PLACE DECIMAL  $\pm 0.005$

	NAME	DATE
DRAWN	ES	12/2/20
CHECKED		
ENG APPR.		
MFG APPR.		
Q.A.		

**PROPRIETARY AND CONFIDENTIAL**  
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SPOT ZERO. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SPOT ZERO IS PROHIBITED.

**DOMETIC**

**seaXchange**  
Sea Water Reverse Osmosis

XTCII Configuration Workbook

SCALE: 1:10


DWG. NO. WD0001

SHEET 5 OF 6

DWG. REV B

# OPTIONAL EQUIPMENT



WALL BRACKET  
P/N: 4471004179



**PROPRIETARY AND CONFIDENTIAL**  
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SPOT ZERO. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SPOT ZERO IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES  
TOLERANCES:  $\pm 0.015$   
FRACTIONAL:  $\pm 1/32$   
ANGULAR: MACH:  $\pm 1/2$  BEND  $\pm 1$   
TWO PLACE DECIMAL  $\pm 0.010$   
THREE PLACE DECIMAL  $\pm 0.005$

	NAME	DATE	 	
DRAWN	ES	12/2/20		
CHECKED			XTCII Configuration Workbook	
ENG APPR.				
MFG APPR.				
Q.A.				
SCALE: 1:11			DWG. NO. WD0001	SHEET 6 OF 6
				DWG. REV B